



EAST-WEST SEED


Endondekanywa yekirimwa **AKATUNGURU**

• Eritekanisya erithaka

- » Obughira obukebuke bukawathikaya omunwisya neririnda amatse omwithaka.
- » ebithina 600000 omwahika




UGANDA (LHUKONZO)




• erilabirira obuthina obulerbulere

obuli 0.1 eshehika sikayisunza esya square mita 40 eshemichichi



- » ghuthekanizaye amahya
- » obuli 2m ghutekemu 160g esya 15:15:15 ne 3kg esyekirisa ghuthewabiba
- » ghutswanganaye esyalitre 4 esyamayetse ne kigyiko kighuma ecomubats wamarwere ne kyigyiko kighuma ekyo mubatsi wobuhoka, na nafuhirira.
- » ghukole eshaline 5-7.5 centimetazi erirwa okwalina erihika okwayindi ,1.5 centimetazi omwabuli bwekyuna wanabiba
- » ghubulinde okwamwesi ahabukilhasira kandi wanabulinda okwamwesi munene.
- » ghubyeh ghukalebya akalima ako obulikiro

thekako ekyivera embulha yamawa.




ghulebayendi ekyihuhiriro kyamabyamo ekiro kyosi.



omwanjakyanka. omwigholhogholho.

erirwa okwabiwo 35 erihika okwa 45.

seserera omwanjaka wanakolesya akasuka akake eririmira obuthina ghukayahera.



ihako kaghumakaghu wanahera okwaburi obwa 2.5 centimetazi. ; sesera iwabirihera

• Ebiro musanju



35 g
x 7


35 g
x 7

= Gramu 5



- » ghubibe okwabuthambi obwa syamita 2.
- » ghusekere ghuhe wathekamo ekyiisya.


- » ghulhamaye obutunguru isighulikolesaya omubatsi omughulhu 35-50 % bwamabyaibwabiri kyikolha
- » ghubuleke omwirima bume ndeke



Ekyirisya ekyitholere yikarugirira okwahendo webithina 600,000 omwahika.

• Wengahulhulha bingi ghuthi?

eribindikanywa ebirimwa obulikirimo likalinda erkanyirira ry'obuhuka na marwere ne risubulya ekyirisya.



• Erikolesya elyemibatsi eryokwenene kandi erithulere



wambale ebeyerighirinsya
omubatse erithendikulhabira



obuthuku
obutholere




enyindo
(obuhulhukiro bwomubatsi)



ghunabe
wabirifuhirira

emiringo yobuhuka



1 obuhoka obukalingalinga ebibabi

2 obuyokombya

3 ebikalya ebibabi

ekyikitha omwamubatsi	MoA	ekyighendererwa	1	2	3
Lambda-cyhalothrin	3A	SC			
Dinotefuran	4A	S			
Thiamethoxam	4A	S			
Imidacloprid	4A	S			
Spinosad	5	S			
Abamectin	6	SC (Slight S)			
Thiocyclam oxalate	14	SC			
Chlorantranilprole	28	S			

MoA (ngoku akakolha); SC (okwamubiri no mwanda); S (omwamikyi)

- » hindulikanaya emibatsi eriyinda obuka eribeghurayo
- » ghuyirinde obuhuhuka obukanyungutsira eriyirinda oburwere obweriringaringa ryebikoma.
- » wihemu ebithina ebyabirihabwa

ekyikitha omwamubatsi	MoA	ekyighendererwa	omuhindo
Chlorothalonil	oweririnda	owakathamba manaene	
Mancozeb	oweririnda	owakathamba manaene	
Azoxystrobin	oweririnda + owakalhamaya	ebironda	emirundi ini omwasisoni
Copper-based fungicides	oweririnda	ekyibolho	

emiringo yamarwere



ebironda

emirihhi eyindukire

ekyibabuko
kyebikoma

ekyironda
kyerangi yebururu

ekyibolho

<http://guides.eastwestseed.com>

endo yakolibirwe ne Eastwestseed.omwamwaka 2017 ne copyrightof East west seed foundation.obuthoki obyosi busigarire okwiyo.

Agrochemical recommendations have been developed in cooperation with Wageningen University & Research