




Endondekanywa yekirimwa **ERYOLI**

• Eritekanisya erithaka

- » Obughira obukebuke bukawathikaya omunwisya neririnda amatse omwithaka.
- » Ebithina 2400 omwahika.



UGANDA (LHUKONZO)



• Erilhabirira obuthina obulereburere


ghukalange habwasyadakika ikumi kutsi ghubegheresayeso eribya omomwisi habwebipindi bibiri ebyekiro




akatsweka kaghuma akomuseghe kutse ebisunga ebyo mutseri.



ghubibe embuthu kandi ghulindenyo eyabirilhasa



obuli bwecuna kyeribibamo
= obunene obwesyanguma ebiri



ghulinde amaghetse ekihuhiriro




omwangyakyangakya omwigholhogholho



erilwa okwabiwo 8-10

ghukehaye eryuthangirira kandi ghubegheresayeso omwesi ahabwebiwo 2-3 ghuthe wahera omwigholhogholho.




• Erihererahonaho



» ghuhere obughuma 2 omwabuli cuna kandi ghukulhange erisighamu akathinana kaghuma bwabirihika syacentimita 10 omwabuli.



• Erithekamu ebirisya



Olhulengo rwekirisa ekihikire lhukarugirira okwamuhendo webithina 2400 omwabuli hika.

• Wengahulhulha bingi ghuthi?

eribindikanywa ebirimwa obulikirimo likalinda erkanyirira ry'obuhuka na marwere ne risubulya ekyirisa.



• Erikolesya elyemibatsi eryokwenene kandi erithulere



wambale ebeyerighirinsya
omubatse erithendikulhabira



obuthuku
obutholere



enyindo
(obuhulhukiro bwomubatsi)



ghunabe
wabirifuhirira

emiringo yobuhuka

- 1 obuhuka obukalingalinga amababi esamaliarekabunu 2 akanyurugunju akenzeru 3 ekyiyokombya 4 ekyikalya ebithi 5 Beetle 6 ekyiyuky

ekyikitha omwamubatsi	MoA	ekyighendererwa	1 / 2	3	4	5	6
Fipronil	2B	SC	🐜		🐜		
Lambda-cyhalothrin	3A	SC	🐜	🐜	🐜	🐜	
Dinotefuran	4A	S	🐜		🐜		
Thiamethoxam	4A	S	🐜				🐜
Imidacloprid	4A	S	🐜				🐜
Spinosad	5	S		🐜	🐜		🐜
Abamectin	6	SC (Slight S)		🐜	🐜	🐜	
Thiocyclam oxalate	14	SC	🐜		🐜		
Chlorantraniliprole	28	S		🐜			
Flubendiamide	28	S					🐜

MoA (ngoku akakolha); SC (okwamubiri no mwanda); S (omwamikyi)



- » hindulikanaya emibatsi eriyinda obuka eribeghurayo
- » eriyirinde obuhuka obuka nyurura likalinda amalwere
- » wihe mu ebithina ebyabirihabwa ne bighuma
- » erikehya erifuhirira 40DAT hamathendibya oburyere

ekyikitha omwamubatsi	MoA	ekyighendererwa	omuhindo
Chlorothalonil	oweririnda	akakolha okwamalwere manne	
Mancozeb	oweririnda	akakolha okwamalwere manne	
Azoxystrobin	oweririnda + owakalhamaya	ebisyano, ekyibolho	emirundi ini omwasisoni
Propamocarb	oweririnda + owakalhamaya	ebishano	
Cymoxanil	oweririnda	ebishano	Tank mixed with preventive (Chlorothalonil or Mancozeb)
Metalaxyl	oweririnda + owakalhamaya	ebishano	High risk of resistance (only use 2 times per season)


emiringo yamarwere



ekyibolho



ebisyano



ebishano



akakolha
akalingalinga ebibabi

<http://guides.eastwestseed.com>

endo yakolbirwe ne Eastwestseed.omwamwaka 2017 ne copyrightof East west seed foundation.obuthoki obyosi busigarire okwiyo.

Agrochemical recommendations have been developed in cooperation with Wageningen University & Research